(b) a nucleotide sequence shown by SEQ ID NO: 1;

(c) a nucleotide sequence encoding an amino acid sequence shown by SEQ ID NO: 4;

- (d) a mucleotide sequence shown by SEQ ID NO: 3; and
- (e) a nucleotide sequence encoding an amino acid sequence of a 4.4 Kbp gene obtainable from a plant, which is amplifiable with a combination of a PCR primer selected from the group consisting of SEQ ID NO: 7, SEQ ID NO: 8, and SEQ ID NO: 13 and a PCR primer selected from the group consisting of SEQ ID NO: 9, SEQ ID NO: 10, SEQ ID NO: 11, SEQ ID NO: 12, SEQ ID NO: 14, and SEQ ID NO: 15.

Claim 19. (Amended) The isolated polynucleotide according to claim 18, wherein the aldehyde compound is indoleacetaldehyde and the carboxylic acid is indoleacetic acid.

claim 10. (Amended) The isolated polynucleotide according to claim 18, which is derived from maize plant (Zea mays L).

Claim 21. (Twice Amended) The isolated polynucleotide according to claim 19, which is derived from maize plant (Zea mays L).

0

Claim 22. (Amended) A plasmid comprising a polynucleotide encoding an aldehyde oxidase enzyme, wherein said enzyme oxidizes an aldehyde compound to a carboxylic acid, and having a nucleotide sequence selected from the group consisting of:

- (a) a nucleotide sequence encoding an amino acid sequence shown by SEQ ID NO: 2;
 - (b) a nucleotide sequence shown by SEQ ID NO: 1;
- (c) a nucleotide sequence encoding an amino acid sequence shown by SEQ ID NO: 4;
 - (d) a nucleotide sequence shown by SEQ ID NO: 3; and
- (e) a nucleotide sequence encoding an amino acid sequence of a 4.4 Kbp gene obtainable from a plant, which is amplifiable with a combination of a PCR primer selected from the group consisting of SEQ ID NO: 7, SEQ ID NO: 8, and SEQ ID NO: 13 and a PCR primer selected from the group consisting of SEQ ID NO: 9, SEQ ID NO: 10, SEQ ID NO: 11, SEQ ID NO: 12 SEQ ID NO: 14, and SEQ ID NO: 15.

Claim 26. (Amended) A process for constructing an expression plasmid which comprises ligating:

(1) a promoter capable of functioning in a plant cell, (2) a polynucleotide encoding an aldehyde oxidase enzyme, wherein said enzyme oxidizes an aldehyde compound to a carboxylic acid, and having a nucleotide sequence selected from the group consisting of:

(1

1.2

(a) a nucleotide sequence encoding an amino acid sequence shown by SEQ ID NO: 2;

- (b) a nucleotide sequence shown by SEQ ID NO: 1;
- c) a nucleotide sequence encoding an amino acid sequence shown by SEQ ID NO: 4;
 - (d) a nucleotide sequence shown by SEQ ID NO: 3; and
- (e) a nucleotide sequence encoding an amino acid sequence of a 4.4 Kbp gene obtainable from a plant, which is amplifiable with a combination of a PCR primer selected from the group consisting of SEQ ID NO: 7, SEQ ID NO: 8, and SEQ ID NO: 13 and a PCR primer selected from the group consisting of SEQ ID NO: 9, SEQ ID NO: 10, SEQ ID NO: 11, SEQ ID NO: 12, SEQ ID NO: 14, and SEQ ID NO: 15, and
- (3) a terminator capable of functioning in a plant in a functional manner and in the order described above.

Claim 27. (Amended) An expression plasmid comprising:

- (1) a promoter capable of functioning in a plant cell,
- (2) a polynucleotide encoding an aldehyde oxidase enzyme, wherein said enzyme oxidizes an aldehyde compound to a carboxylic acid, and having a nucleotide sequence selected from the group consisting of:



(a) a nucleotide sequence encoding an amino acid sequence shown by SEQ ID NO: 2;

- (b) a nucleotide sequence shown by SEQ ID NO: 1;
- (c) a nucleotide sequence encoding an amino acid sequence. shown by SEQ ID NO: 4;
 - (d) a nucleotide sequence shown by SEQ ID NO: 3; and
- (e) a nucleotide sequence encoding an amino acid sequence of a 4.4 Kbp gene obtainable from a plant, which is amplifiable with a combination of a PCR primer selected from the group consisting of SEQ ID NO: 7, SEQ ID NO: 8, and SEQ ID NO: 13 and a PCR primer selected from the group consisting of SEQ ID NO: 9, SEQ ID NO: 10, SEQ ID NO: 11, SEQ ID NO: 12, SEQ ID NO: 14, and SEQ ID NO: 15, and
- (3) a terminator capable of functioning in a plant which are ligated in a functional manner and in the order described above.

Claim 28. (Amended) A process for controlling production of an aldehyde oxidase in a transformed host cell which comprises

introducing, into a host cell, an expression plasmid comprising:

- (1) a promoter capable of functioning in a plant cell,
- (2) a polynucleotide encoding an aldehyde oxidase enzyme, wherein said enzyme oxidizes an aldehyde compound to a

12

carboxylic acid, and having a nucleotide sequence selected from the group consisting of:

- (a) a nucleotide sequence encoding an amino acid sequence shown by SEQ ID NO: 2;
 - (b) a nucleotide sequence shown by SEQ ID NO: 1;
- c) a nucleotide sequence encoding an amino acid sequence shown by SEQ ID NO: 4;
 - (d) $\$ a nucleotide sequence shown by SEQ ID NO: 3; and
- (e) a nucleotide sequence encoding an amino acid sequence of a 4.4 Kbp gene obtainable from a plant, which is amplifiable with a combination of a PCR primer selected from the group consisting of SEQ ID NO: 7, SEQ ID NO: 8, and SEQ ID NO: 13 and a PCR primer selected from the group consisting of SEQ ID NO: 9, SEQ ID NO: 10, SEQ ID NO: 11, SEQ ID NO: 12, SEQ ID NO: 14, and SEQ ID NO: 15, and
- (3) a terminator capable of functioning in a plant which are ligated in a functional manner and in the order described above to transform said host cell.

Sulge

62